Analele Universității Oradea Fasc. Matematica, Tom XXXI (2024), Issue No. 2, 35–53

THE KLEIN-GORDON EQUATION WITH DYNAMIC BOUNDARIES DISSIPATION OF FRACTIONAL DERIVATIVE TYPE

ABDELHAMID HALLOUZ

ABSTRACT. The aim of the paper is to address the fractional derivative-type Klein-Gordon equation with dynamic boundary control. We deduced its well-posedness from linear operator semigroup theory. We evaluate the system's stability using a conclusion drawn by Borichev and Tomilov[8].

References

- M.Akil, A.Wehbe, Stabilization of multidimensional wave equation with locally boundary fractional dissipation law under geometric condition, Math. Control. Relat. Fields.9(1),97-116.(2019).
- W. Arendt, C. J. K. Batty, Tauberian theorems and stability of one-parameter semi-groups, Trans. Amer. Math. Soc., 306-2, 837-852.(1988).
- [3] C. J. K.Batty, R.Chill, and Y.Tomilov, Fine scales of decay of operator semigroups, J. Eur. Math. Soc.303 (JEMS), 18(4), 853-929.(2016).
- [4] C. J. K.Batty, and T.Duyckaerts, Non-uniform stability for bounded semi-groups on Banach spaces, J. Evol. Equ., 8(4), 765-780.(2008).
- [5] A. Benaissa and H. Benkhedda, Global existence and energy decay of solutions to a wave equation with a dynamic boundary dissipation of fractional derivative type, Z. Anal. Anwend. 37, no. 3, 315–339.(2018).
- [6] A. Benaissa and S.Rafa, Well-posedness and energy decay of solutions to a wave equation with a general boundary control of diffusive type, Mathematische Nachrichten, 292(8),1644-1673.(2019).
- [7] E.Blanc, G.Chiavassa and B.Lombard, Biot-JKD model: Simulation of 1D transient poroelastic waves with fractional derivatives. J. Comput. Phys., 237, 1-20.(2013).
- [8] A.Borichev, and Y.Tomilov, Optimal polynomial decay of functions and operator semigroups, Math. Ann., 301 347(2), 455-478. (2010).
- J. U.Choi, and R. C.Maccamy, Fractional order Volterra equations with applications to elasticity. J. Math. Anal. Appl. 139, 448-464.(1989).
- [10] R. Jaime Muñoz, V. Poblete and O. Vera, Stability for an Klein-Gordon equation type with a boundary dissipation of fractional derivative type. Asymptot. Anal. 127 (2022), 249–273. (2022).
- [11] A.Haraux, and T.Cazenave, An introduction to semilinear evolution equations, Oxford Lecture Series in Mathematics and its Applications 13. (1998).
- [12] I. Lyubich Yu and Q. P. Vu, Asymptotic stability of linear differential equations in Banach spaces, Studia Math. 88-1, 37-42.(1988).
- [13] B. Mbodje, Wave energy decay under fractional derivative controls, IMA J. Math. Control Inform., 23, 237-257. (2006).

²⁰²⁰ Mathematics Subject Classification. 93D15, 35B40, 47D03, 74D05.

Key words and phrases. Well-posedness, C_0 -semigroup, multiplier method, non-exponential stability.

ABDELHAMID HALLOUZ

- [14] J. Pruss, On the spectrum of C_0 -semigroups, Trans. Amer. Math. Soc. 2, 847-857.(1984).
- [15] J.Rozendaal, D.Seifert and R.Stahn, Optimal rates of decay for operator semigroups on Hilbert spaces, Adv. Math., 346, 359-388.(2019).

Received 15 December 2023

DEPARTMENT OF MATHEMATICS, FACULTY OF MATHEMATICS AND COMPUTER SCIENCE, LAB-ORATORY OF INFORMATICS AND MATHEMATICS, UNIVERSITY OF TIARET ALGERIA. *Email address*: abdelhamidelpt@gmail.com

36